



calculatoratoz.com



unitsconverters.com

Quadratic Equation Formulas

Calculators!

Examples!

Conversions!

Bookmark calculatoratoz.com, unitsconverters.com

Widest Coverage of Calculators and Growing - **30,000+ Calculators!**
Calculate With a Different Unit for Each Variable - **In built Unit Conversion!**
Widest Collection of Measurements and Units - **250+ Measurements!**

Feel free to SHARE this document with your friends!

[Please leave your feedback here...](#)



List of 11 Quadratic Equation Formulas

Quadratic Equation

1) Discriminant of Quadratic Equation

$$fx \quad D = (b^2) - (4 \cdot a \cdot c)$$

[Open Calculator !\[\]\(a870788d6ed9b8fd294b7654a8c8526b_img.jpg\)](#)

$$ex \quad 400 = ((8)^2) - (4 \cdot 2 \cdot -42)$$

2) First Root of Quadratic Equation

$$fx \quad x_1 = \frac{-(b) + \sqrt{b^2 - 4 \cdot a \cdot c}}{2 \cdot a}$$

[Open Calculator !\[\]\(c50c8b7b2cc2cf9ff925edec0ee94c0d_img.jpg\)](#)

$$ex \quad 3 = \frac{-(8) + \sqrt{(8)^2 - 4 \cdot 2 \cdot -42}}{2 \cdot 2}$$

3) Maximum or Minimum Value of Quadratic Equation

$$fx \quad f_{(x)Max/Min} = \frac{(4 \cdot a \cdot c) - (b^2)}{4 \cdot a}$$

[Open Calculator !\[\]\(f60b7a900783ac3fd531bfd9c111be6d_img.jpg\)](#)

$$ex \quad -50 = \frac{(4 \cdot 2 \cdot -42) - ((8)^2)}{4 \cdot 2}$$



4) Maximum or Minimum Value of Quadratic Equation using Discriminant



$$fx \quad f_{(x)\text{Max/Min}} = -\frac{D}{4 \cdot a}$$

Open Calculator

$$ex \quad -50 = -\frac{400}{4 \cdot 2}$$

5) Product of Roots of Quadratic Equation

$$fx \quad P_{(x_1 \times x_2)} = \frac{c}{a}$$

Open Calculator

$$ex \quad -21 = \frac{-42}{2}$$

6) Product of Roots of Quadratic Equation given Roots

$$fx \quad P_{(x_1 \times x_2)} = x_1 \cdot x_2$$

Open Calculator

$$ex \quad -21 = 3 \cdot -7$$


7) Second Root of Quadratic Equation

$$fx \quad x_2 = \frac{-(b) - \sqrt{b^2 - 4 \cdot a \cdot c}}{2 \cdot a}$$

Open Calculator

$$ex \quad -7 = \frac{-(8) - \sqrt{(8)^2 - 4 \cdot 2 \cdot -42}}{2 \cdot 2}$$



8) Sum of Roots of Quadratic Equation 

$$fx \quad S_{(x_1+x_2)} = -\frac{b}{a}$$

[Open Calculator !\[\]\(e78f798d4ea5c530c9db49e7d26e6b95_img.jpg\)](#)


$$ex \quad -4 = -\frac{8}{2}$$

9) Sum of Roots of Quadratic Equation given Roots 

$$fx \quad S_{(x_1+x_2)} = (x_1) + (x_2)$$

[Open Calculator !\[\]\(05be7c7a8995decd503647c99211f7c2_img.jpg\)](#)


$$ex \quad -4 = (3) + (-7)$$

10) Value of Quadratic Equation 

$$fx \quad f_{(x)} = (a \cdot x^2) + (b \cdot x) + (c)$$

[Open Calculator !\[\]\(fe3aebe81acea8d45108cd2768939da7_img.jpg\)](#)

$$ex \quad 48 = (2 \cdot (5)^2) + (8 \cdot 5) + (-42)$$

11) Value of X for Maximum or Minimum Value of Quadratic Equation 

$$fx \quad x_{Max/Min} = -\frac{b}{2 \cdot a}$$

[Open Calculator !\[\]\(899d8b7697d64725bf017d3296cfcf1b_img.jpg\)](#)

$$ex \quad -2 = -\frac{8}{2 \cdot 2}$$



Variables Used

- **a** Numerical Coefficient a of Quadratic Equation
- **b** Numerical Coefficient b of Quadratic Equation
- **c** Numerical Coefficient c of Quadratic Equation
- **D** Discriminant of Quadratic Equation
- **$f(x)$** Value of Quadratic Equation
- **$f(x)$ Max/Min** Maximum/Minimum Value of Quadratic Equation
- **$P_{(x_1 \times x_2)}$** Product of Roots
- **$S_{(x_1 + x_2)}$** Sum of Roots
- **x** Value of X of Quadratic Equation
- **x_1** First Root of Quadratic Equation
- **x_2** Second Root of Quadratic Equation
- **x Max/Min** Value of X for Maximum/Minimum Value of $f(X)$



Constants, Functions, Measurements used

- **Function:** `sqrt`, `sqrt(Number)`
Square root function



Check other formula lists

- [Quadratic Equation Formulas](#) 

Feel free to SHARE this document with your friends!

PDF Available in

[English](#) [Spanish](#) [French](#) [German](#) [Russian](#) [Italian](#) [Portuguese](#) [Polish](#) [Dutch](#)

12/1/2023 | 5:24:42 AM UTC

[Please leave your feedback here...](#)

