



calculatoratoz.com



unitsconverters.com

Current Electricity Formulas

Calculators!

Examples!

Conversions!

Bookmark calculatoratoz.com, unitsconverters.com

Widest Coverage of Calculators and Growing - **30,000+ Calculators!**
Calculate With a Different Unit for Each Variable - **In built Unit Conversion!**
Widest Collection of Measurements and Units - **250+ Measurements!**

Feel free to SHARE this document with your friends!

[Please leave your feedback here...](#)



List of 30 Current Electricity Formulas

Current Electricity

Basics of Current Electricity

1) Current Density given Electric Current and Area

$$fx \quad J = \frac{I}{A_{\text{cond}}}$$

Open Calculator 

$$ex \quad 0.402299 \text{ A/mm}^2 = \frac{2.1 \text{ A}}{5.22 \text{ mm}^2}$$

2) Current Density given Resistivity

$$fx \quad J = \frac{E}{\rho}$$

Open Calculator 

$$ex \quad 35.29412 \text{ A/mm}^2 = \frac{600 \text{ V/m}}{0.017 \Omega \cdot \text{mm}}$$

3) Drift Speed

$$fx \quad V_d = \frac{E \cdot \tau \cdot [\text{Charge-e}]}{2 \cdot [\text{Mass-e}]}$$

Open Calculator 

$$ex \quad 2.6 \text{ E}^{15} \text{ mm/s} = \frac{600 \text{ V/m} \cdot 0.05 \text{ s} \cdot [\text{Charge-e}]}{2 \cdot [\text{Mass-e}]}$$



4) Drift Speed given Cross-Sectional Area

$$\text{fx } V_d = \frac{I}{e^- \cdot [\text{Charge-e}] \cdot A}$$

[Open Calculator !\[\]\(cbe80b694ebd74fcfe136a095b608235_img.jpg\)](#)

$$\text{ex } 1.9E^{-26} \text{mm/s} = \frac{2.1A}{5 \cdot [\text{Charge-e}] \cdot 14\text{mm}^2}$$

5) Electric Current given Charge and Time

$$\text{fx } I = \frac{q}{T_{\text{Total}}}$$

[Open Calculator !\[\]\(3e2231b1ad3ca8da8658228c00dd08e0_img.jpg\)](#)

$$\text{ex } 0.00375A = \frac{0.3C}{80s}$$

6) Electric Current given Drift Velocity

$$\text{fx } I = n \cdot [\text{Charge-e}] \cdot A \cdot V_d$$

[Open Calculator !\[\]\(0d5ec72f61334709c3fc9450209b754f_img.jpg\)](#)

$$\text{ex } 1.6E^{-27}A = 7 \cdot [\text{Charge-e}] \cdot 14\text{mm}^2 \cdot 0.1\text{mm/s}$$

7) Electric Field

$$\text{fx } E = \frac{\Delta V}{l}$$

[Open Calculator !\[\]\(b64b40baaee5acddc1eab8538ba84754_img.jpg\)](#)

$$\text{ex } 20V/m = \frac{18V}{900mm}$$



8) Electromotive Force when Battery is Charging

$$fx \quad V = \varepsilon + I \cdot R$$

[Open Calculator !\[\]\(e78f798d4ea5c530c9db49e7d26e6b95_img.jpg\)](#)

$$ex \quad 33.3V = 1.8V + 2.1A \cdot 15\Omega$$

9) Electromotive Force when Battery is Discharging

$$fx \quad V = \varepsilon - I \cdot R$$

[Open Calculator !\[\]\(05be7c7a8995decd503647c99211f7c2_img.jpg\)](#)

$$ex \quad -29.7V = 1.8V - 2.1A \cdot 15\Omega$$

Energy and Power

10) Heat Energy given Electric Potential Difference and Electric Current

$$fx \quad Q = \Delta V \cdot I \cdot T_{\text{Total}}$$

[Open Calculator !\[\]\(626ce8ac21792b9405bfddfea8e0c96a_img.jpg\)](#)

$$ex \quad 3024W = 18V \cdot 2.1A \cdot 80s$$

11) Heat Energy given Electric Potential Difference and Resistance

$$fx \quad Q = \Delta V^2 \cdot \frac{T_{\text{Total}}}{R}$$

[Open Calculator !\[\]\(c1168d6a8b365d11e842ece304635fa7_img.jpg\)](#)

$$ex \quad 1728W = (18V)^2 \cdot \frac{80s}{15\Omega}$$



12) Heat Generated through Resistance

$$\text{fx } Q = I^2 \cdot R \cdot T_{\text{Total}}$$

[Open Calculator !\[\]\(e2376d476d06eb31946dc01a69a4403a_img.jpg\)](#)

$$\text{ex } 5292\text{W} = (2.1\text{A})^2 \cdot 15\Omega \cdot 80\text{s}$$

13) Power given Electric Current and Resistance

$$\text{fx } P = I^2 \cdot R$$

[Open Calculator !\[\]\(0b5e7e25e8775f7e7e80906ada4f0021_img.jpg\)](#)

$$\text{ex } 66.15\text{W} = (2.1\text{A})^2 \cdot 15\Omega$$

14) Power given Electric Potential Difference and Electric Current

$$\text{fx } P = \Delta V \cdot I$$

[Open Calculator !\[\]\(bd3b31712ad9bab5a241210fa6925cdd_img.jpg\)](#)

$$\text{ex } 37.8\text{W} = 18\text{V} \cdot 2.1\text{A}$$

15) Power given Electric Potential Difference and Resistance

$$\text{fx } P = \frac{\Delta V^2}{R}$$

[Open Calculator !\[\]\(7bc43b319a082987e20f7bf78f4bab80_img.jpg\)](#)

$$\text{ex } 21.6\text{W} = \frac{(18\text{V})^2}{15\Omega}$$



Resistance

16) Equivalent Resistance in Parallel

$$\text{fx } R_{\text{eq}} = \left(\frac{1}{R} + \frac{1}{\Omega} \right)^{-1}$$

[Open Calculator !\[\]\(950a62bbddad88d64435fd35607dfc42_img.jpg\)](#)

$$\text{ex } 11.53846\Omega = \left(\frac{1}{15\Omega} + \frac{1}{50\Omega} \right)^{-1}$$

17) Equivalent Resistance in Series

$$\text{fx } R_{\text{eq}} = R + \Omega$$

[Open Calculator !\[\]\(73002692dd5e7a64e60946be3158e719_img.jpg\)](#)

$$\text{ex } 65\Omega = 15\Omega + 50\Omega$$

18) Internal Resistance using Potentiometer

$$\text{fx } R = \frac{L - l_2}{l_2} \cdot \Omega$$

[Open Calculator !\[\]\(104fbf564e2e5a8fbd84f31656d114c7_img.jpg\)](#)

$$\text{ex } 12.5\Omega = \frac{1500\text{mm} - 1200\text{mm}}{1200\text{mm}} \cdot 50\Omega$$

19) Resistance

$$\text{fx } R = \frac{\rho \cdot l}{A}$$

[Open Calculator !\[\]\(21226b58c700e5231ab98d27101bac58_img.jpg\)](#)

$$\text{ex } 1.092857\Omega = \frac{0.017\Omega \cdot \text{mm} \cdot 900\text{mm}}{14\text{mm}^2}$$



20) Resistance of Wire

$$\text{fx } R = \rho \cdot \frac{L}{A}$$

[Open Calculator !\[\]\(9dfdaff1d86ba3c1f8353b4d1b61b8c5_img.jpg\)](#)

$$\text{ex } 1.821429\Omega = 0.017\Omega \cdot \text{mm} \cdot \frac{1500\text{mm}}{14\text{mm}^2}$$

21) Resistance on Stretching of Wire

$$\text{fx } R = \frac{\Omega \cdot L^2}{(l_2)^2}$$

[Open Calculator !\[\]\(2b376d1a92330ab09dad2665d2f89bf5_img.jpg\)](#)

$$\text{ex } 78.125\Omega = \frac{50\Omega \cdot (1500\text{mm})^2}{(1200\text{mm})^2}$$

22) Resistivity of Material

$$\text{fx } \rho = \frac{2 \cdot [\text{Mass-e}]}{n \cdot [\text{Charge-e}]^2 \cdot \tau}$$

[Open Calculator !\[\]\(c444627dab9fee9a1550c053ffaaaae2_img.jpg\)](#)

$$\text{ex } 2E^{11}\Omega \cdot \text{mm} = \frac{2 \cdot [\text{Mass-e}]}{7 \cdot [\text{Charge-e}]^2 \cdot 0.05\text{s}}$$

23) Temperature Dependence of Resistance

$$\text{fx } R = R_{\text{ref}} \cdot (1 + \alpha \cdot \Delta T)$$

[Open Calculator !\[\]\(06a315363e7801bba8c7489a6694af19_img.jpg\)](#)

$$\text{ex } 1602.5\Omega = 2.5\Omega \cdot (1 + 16^\circ \text{C}^{-1} \cdot 40\text{K})$$



Voltage and Current Measuring Instruments

24) Current in Potentiometer

$$\text{fx } I = \frac{x \cdot L}{R}$$

[Open Calculator !\[\]\(96cc62f861fdd6e50510c0224a756dff_img.jpg\)](#)

$$\text{ex } 114\text{A} = \frac{1140\text{V/m} \cdot 1500\text{mm}}{15\Omega}$$

25) EMF of Unknown Cell using Potentiometer

$$\text{fx } \varepsilon = \frac{\varepsilon_1 \cdot L}{l_2}$$

[Open Calculator !\[\]\(f95dab70c751fda7d824b8b03650f7aa_img.jpg\)](#)

$$\text{ex } 7.5\text{V} = \frac{6\text{V} \cdot 1500\text{mm}}{1200\text{mm}}$$

26) Metre Bridge

$$\text{fx } \Omega = R \cdot \frac{100 - L}{L}$$

[Open Calculator !\[\]\(e9474ce1d70442456f8fe9c393ea149c_img.jpg\)](#)

$$\text{ex } 985\Omega = 15\Omega \cdot \frac{100 - 1500\text{mm}}{1500\text{mm}}$$

27) Ohm's Law

$$\text{fx } V = I \cdot R$$

[Open Calculator !\[\]\(9db214d549b9aeebe72aa11d3a5c4b1a_img.jpg\)](#)

$$\text{ex } 31.5\text{V} = 2.1\text{A} \cdot 15\Omega$$



28) Potential Difference through Voltmeter

$$fx \quad \Delta V = I_G \cdot R + I_G \cdot R_G$$

[Open Calculator !\[\]\(c3d993ca47bfe2a953c700506ce31fa0_img.jpg\)](#)

$$ex \quad 38.25V = 1.5A \cdot 15\Omega + 1.5A \cdot 10.5\Omega$$

29) Potential Gradient through Potentiometer

$$fx \quad x = \frac{\Delta V - V_B}{L}$$

[Open Calculator !\[\]\(17413706fd4997a1a4bdf85c6864eee1_img.jpg\)](#)

$$ex \quad 0.666667V/m = \frac{18V - 17V}{1500mm}$$

30) Shunt in Ammeter

$$fx \quad R_{sh} = R_G \cdot \frac{I_G}{I - I_G}$$

[Open Calculator !\[\]\(4b7a79268f6ba26c1471d4232fffa85a_img.jpg\)](#)

$$ex \quad 26.25\Omega = 10.5\Omega \cdot \frac{1.5A}{2.1A - 1.5A}$$



Variables Used











- ΔT Change in Temperature (Kelvin)
- A Cross Sectional Area (Square Millimeter)
- A_{cond} Area of Conductor (Square Millimeter)
- E Electric Field (Volt per Meter)
- e^- Number of Electrons
- I Electric Current (Ampere)
- I_G Electric Current through Galvanometer (Ampere)
- J Electric Current Density (Ampere per Square Millimeter)
- l Length of Conductor (Millimeter)
- L Length (Millimeter)
- l_2 Final Length (Millimeter)
- n Number of 1 Free Charge Particles per Unit Volume
- P Power (Watt)
- q Charge (Coulomb)
- Q Heat Rate (Watt)
- R Resistance (Ohm)
- R_{eq} Equivalent Resistance (Ohm)
- R_G Resistance through Galvanometer (Ohm)
- R_{ref} Resistance at Reference Temperature (Ohm)
- R_{sh} Shunt (Ohm)
- T_{Total} Total Time Taken (Second)
- V Voltage (Volt)







- V_B Electric Potential Diff through other Terminal (Volt)
- V_d Drift Speed (Millimeter per Second)
- x Potential Gradient (Volt per Meter)
- α Temperature Coefficient of Resistance (Per Degree Celsius)
- ΔV Electric Potential Difference (Volt)
- ϵ Electromotive Force (Volt)
- $\epsilon \cdot$ EMF of Unknown Cell using Potentiometer (Volt)
- ρ Resistivity (Ohm Millimeter)
- Ω Final Resistance (Ohm)
- τ Relaxation time (Second)



Constants, Functions, Measurements used









- **Constant:** [**Charge-e**], 1.60217662E-19 Coulomb
Charge of electron
- **Constant:** [**Mass-e**], 9.10938356E-31 Kilogram
Mass of electron
- **Measurement:** **Length** in Millimeter (mm)
Length Unit Conversion 
- **Measurement:** **Time** in Second (s)
Time Unit Conversion 
- **Measurement:** **Electric Current** in Ampere (A)
Electric Current Unit Conversion 
- **Measurement:** **Temperature** in Kelvin (K)
Temperature Unit Conversion 
- **Measurement:** **Area** in Square Millimeter (mm²)
Area Unit Conversion 
- **Measurement:** **Speed** in Millimeter per Second (mm/s)
Speed Unit Conversion 
- **Measurement:** **Electric Charge** in Coulomb (C)
Electric Charge Unit Conversion 
- **Measurement:** **Power** in Watt (W)
Power Unit Conversion 
- **Measurement:** **Electric Resistance** in Ohm (Ω)
Electric Resistance Unit Conversion 
- **Measurement:** **Surface Current Density** in Ampere per Square Millimeter (A/mm²)
Surface Current Density Unit Conversion 



- **Measurement: Electric Field Strength** in Volt per Meter (V/m)
Electric Field Strength Unit Conversion 
- **Measurement: Electric Potential** in Volt (V)
Electric Potential Unit Conversion 
- **Measurement: Electric Resistivity** in Ohm Millimeter ($\Omega \cdot \text{mm}$)
Electric Resistivity Unit Conversion 
- **Measurement: Temperature Coefficient of Resistance** in Per Degree Celsius ($^{\circ}\text{C}^{-1}$)
Temperature Coefficient of Resistance Unit Conversion 



Check other formula lists

- [Current Electricity Formulas](#) 
- [Elasticity & Simple Harmonic Motion\(SHM\) Formulas](#) 
- [Gravitation Formulas](#) 
- [Microscopes and Telescopes Formulas](#) 
- [Optics Formulas](#) 
- [Theory of Elasticity Formulas](#) 
- [Tribology Formulas](#) 
- [Wave Optics Formulas](#) 
- [Waves And Sound Formulas](#) 

Feel free to SHARE this document with your friends!

PDF Available in

[English](#) [Spanish](#) [French](#) [German](#) [Russian](#) [Italian](#) [Portuguese](#) [Polish](#) [Dutch](#)

5/17/2023 | 7:13:53 AM UTC

[Please leave your feedback here...](#)

