



# **Electrostatics Formulas**

Calculators!

Examples!

Conversions!

Bookmark calculatoratoz.com, unitsconverters.com

Widest Coverage of Calculators and Growing - 30,000+ Calculators!

Calculate With a Different Unit for Each Variable - In built Unit Conversion!

Widest Collection of Measurements and Units - 250+ Measurements!

Feel free to SHARE this document with your friends!

Please leave your feedback here...





## **List of 13 Electrostatics Formulas**

## **Electrostatics**

1) Electric Current given Drift Velocity

 $I = n \cdot [Charge-e] \cdot A \cdot V_d$ 

Open Calculator

ex  $1.6\mathrm{E^-27A} = 7\cdot[\mathrm{Charge-e}]\cdot14\mathrm{mm^2}\cdot0.1\mathrm{mm/s}$ 

2) Electric Dipole Moment

fx  $p = Q \cdot d$ 

Open Calculator

 $\texttt{ex} \ 0.6 \text{C*m} = 0.3 \text{C} \cdot 2 \text{m}$ 

3) Electric Field

 $\mathbb{E} = rac{\Delta V}{l}$ 

 $\mathbf{ex}$   $20\mathrm{V/m} = rac{18\mathrm{V}}{0.9\mathrm{m}}$ 

Open Calculator 🚰

#### 4) Electric Field between Two Oppositely Charged Parallel Plates



$$\mathbf{E} = \frac{\mathbf{\sigma}}{[\text{Permitivity-vacuum}]}$$

= 2.8E $^11$ V/m =  $\frac{2.5$ C/m $^2}{[Permitivity-vacuum]}$ 

# 5) Electric Field due to Infinite Sheet

$$\mathbf{E} = \frac{\sigma}{2 \cdot [\text{Permitivity-vacuum}]}$$

Open Calculator


= 1.4E $^1$ 1V/m =  $\frac{2.5 \mathrm{C/m^2}}{2 \cdot \mathrm{[Permitivity-vacuum]}}$ 6) Electric Field due to Line Charge

$$\mathbf{E} = rac{2 \cdot [ ext{Coulomb}] \cdot \lambda}{ ext{r}_{ ext{ring}}}$$

Open Calculator

 $\mathbf{ex} = 2.2 \mathrm{E^10V/m} = \frac{2 \cdot \mathrm{[Coulomb] \cdot 6C/m}}{2.2 \mathrm{E^10V/m}}$ 5m

# 7) Electric Field due to Point Charge



Open Calculator

 $= \frac{6.7 \text{E}^8 \text{V/m} = \frac{[\text{Coulomb}] \cdot 0.3 \text{C}}{(2\text{m})^2} }{}$ 



Open Calculator

Open Calculator G


## 8) Electric Field for Uniformly Charged Ring 🚰

 $\mathrm{E} = rac{\left[\mathrm{Coulomb}
ight]\cdot\mathrm{Q}\cdot\mathrm{x}}{\left(\mathrm{r_{ring}^2}+\mathrm{x}^2
ight)^{rac{3}{2}}}$ 

Open Calculator

 $2.6 \text{E}^7 \text{V/m} = \frac{ \left[ \text{Coulomb} \right] \cdot 0.3 \text{C} \cdot 8 \text{m} }{ \left( \left( 5 \text{m} \right)^2 + \left( 8 \text{m} \right)^2 \right)^{\frac{3}{2}} }$ 

# 9) Electric Field Intensity



=  $3.428571 \mathrm{V/m} = rac{2.4 \mathrm{N}}{0.7 \mathrm{C}}$ 

### 10) Electric Force by Coulomb's Law

$$\mathbf{F}_{\mathrm{ele}} = rac{[\mathrm{Coulomb}] \cdot \mathrm{q}_1 \cdot \mathrm{q}_2}{\mathrm{d}^2}$$

 $extbf{ex} 2.7 ext{E^10N} = rac{ ext{[Coulomb]} \cdot 4 ext{C} \cdot 3 ext{C}}{ ext{(2m)}^2}$ 



#### 11) Electric Potential of Dipole

 $extbf{K} V = rac{[ ext{Coulomb}] \cdot ext{p} \cdot ext{cos}( heta)}{ ext{r}^2}$ 

Open Calculator

 $= \frac{0.128003V = \frac{[Coulomb] \cdot 12C*m \cdot \cos(90°)}{(0.5m)^2}$ 

#### 12) Electrostatic Potential due to Point Charge

 $V = \frac{[Coulomb] \cdot Q}{d}$ 

Open Calculator

 $= 1.3E^9V = \frac{[Coulomb] \cdot 0.3C}{2m}$ 

# 13) Electrostatic Potential Energy of Point Charge or System of Charges

 $extbf{U}_{
m e} = rac{[{
m Coulomb}] \cdot {
m q}_1 \cdot {
m q}_2}{{
m d}}$ 

Open Calculator

 $extbf{ex} = \frac{ ext{[Coulomb]} \cdot 4 ext{C} \cdot 3 ext{C}}{2 ext{m}}$ 



#### Variables Used

- A Cross-Sectional Area (Square Millimeter)
- **d** Separation between Charges (Meter)
- **E** Electric Field (Volt per Meter)
- **E**<sub>edc</sub> Electric Field Intensity (Volt per Meter)
- **F** Electric Force (Newton)
- Fele Electric Force (Newton)
- I Electric Current (Ampere)
- I Length of Conductor (Meter)
- n Number of Free Charge Particles per Unit Volume
- p Electric Dipole Moment (Coulomb Meter)
- **q** Electric Charge (Coulomb)
- Q Charge (Coulomb)
- q<sub>1</sub> Charge 1 (Coulomb)
- q<sub>2</sub> Charge 2 (Coulomb)
- r Magnitude of Position Vector (Meter)
- r<sub>ring</sub> Radius of Ring (Meter)
- **U**<sub>e</sub> Electrostatic Potential Energy (*Joule*)
- V Electrostatic Potential (Volt)
- **V**<sub>d</sub> Drift Speed (Millimeter per Second)
- X Distance (Meter)
- ΔV Electric Potential Difference (Volt)
- **θ** Angle between any two vectors *(Degree)*
- λ Linear Charge Density (Coulomb per Meter)





• σ Surface Charge Density (Coulomb per Square Meter)





### Constants, Functions, Measurements used

- Constant: [Charge-e], 1.60217662E-19 Coulomb Charge of electron
- Constant: [Coulomb], 8.9875517923E9 Newton \* Meter ^2 / Coulomb ^2
   Coulomb constant
- Constant: [Permitivity-vacuum], 8.85E-12 Farad / Meter Permittivity of vacuum
- Function: cos, cos(Angle)
   Trigonometric cosine function
- Measurement: Length in Meter (m)
   Length Unit Conversion
- Measurement: Electric Current in Ampere (A)
  Electric Current Unit Conversion
- Measurement: Area in Square Millimeter (mm²)
   Area Unit Conversion
- Measurement: Speed in Millimeter per Second (mm/s)
   Speed Unit Conversion
- Measurement: Energy in Joule (J)
   Energy Unit Conversion
- Measurement: Electric Charge in Coulomb (C)

  Electric Charge Unit Conversion
- Measurement: Force in Newton (N)
   Force Unit Conversion
- Measurement: Angle in Degree (°)
   Angle Unit Conversion
- Measurement: Linear Charge Density in Coulomb per Meter (C/m)
   Linear Charge Density Unit Conversion





- Measurement: Surface Charge Density in Coulomb per Square Meter (C/m²)
  - Surface Charge Density Unit Conversion
- Measurement: Electric Field Strength in Volt per Meter (V/m)

  Electric Field Strength Unit Conversion
- Measurement: Electric Potential in Volt (V)

  Electric Potential Unit Conversion
- Measurement: Electric Dipole Moment in Coulomb Meter (C\*m)
  Electric Dipole Moment Unit Conversion





#### **Check other formula lists**

- Capacitor Formulas
- Electromagnetic Induction Formulas
- Electrostatics Formulas
- Magnetic Field due to Current Formulas

Feel free to SHARE this document with your friends!

#### **PDF** Available in

English Spanish French German Russian Italian Portuguese Polish Dutch

12/11/2023 | 9:21:16 AM UTC

Please leave your feedback here...



